



Vaccine Recommendations by Age – which vaccines are right for you?

*Created July 2022 by Hannah Howard, PharmD Candidate 2023

START HERE

Age over 65?

Yes

No

Recommended vaccines:

- Flu Shot: 1 dose annually
- Tdap (tetanus, diphtheria, pertussis): every 10 years
- Shingrix (shingles): 2 dose series 2-6 months apart
- Pneumococcal: 1 dose of PCV15 followed by PPSV23 OR 1 dose PCV20

Recommended vaccines:

- Flu Shot: 1 dose annually
- Tdap (tetanus, diphtheria, pertussis): every 10 years
- MMR: if born in 1957 or later
- Shingrix (shingles): 2 dose series 2-6 months apart
- Hepatitis B: ages 19 through 59 years old

No

Diabetic? COPD? Smoker?
Immunocompromised?

No

Yes

Age over 50?

Diabetic? COPD? Smoker?
Immunocompromised?

Yes

No

Yes

Recommended vaccines:

- Flu Shot: 1 dose annually
- Tdap (tetanus, diphtheria, pertussis): every 10 years
- MMR: if born in 1957 or later unless immunocompromised
- Varicella (chicken pox): if born in 1980 or later unless immunocompromised
- Shingrix (shingles): 2 doses at age 19 if immunocompromised
- HPV: 2-3 doses through age 26
- Pneumococcal: 1 dose of PCV15 followed by PPSV23 OR 1 dose PCV20
- Hepatitis B: dose series

Recommended vaccines:

- Flu Shot: 1 dose annually
- Tdap (tetanus, diphtheria, pertussis): every 10 years
- MMR: if born in 1957 or later
- Varicella (chicken pox): if born in 1980 or later
- Hepatitis B: dose series

****If you have a grandchild or child on the way or are spending lots of time with children it is recommended to receive the Tdap vaccine.**

Recommended vaccines:

- Flu Shot: 1 dose annually
- Tdap (tetanus, diphtheria, pertussis): every 10 years
- MMR: if born in 1957 or later unless immunocompromised
- Shingrix (shingles): 2 dose series 2-6 months apart
- Hepatitis B: ages 19 through 59 years old
- Pneumococcal: 1 dose of PCV15 followed by PPSV23 OR 1 dose PCV20